


# Westford Stream Monitoring Results 2011

Westford Stream Team


Diane and Bill Duane, Valerie and Matt Wormell,  
Michael and John Gallucci, Peter Severance, Ron  
Gemma, Cam Santana, Alycia Cronin, Kate Hollister

# Sampling Overview

- Sampled 10 stream sites in Westford
  - Stony @ Forge Pond, Reed, Keyes, Tadmuck, Stony @ Brookside Mill, Gilson
  - Nashoba @ Powers Rd, Vine, Nashoba off Texas Rd, Butter
- Coordinated activities with OARS
  - OARS provided meter equipment and supplies
  - QC'd meter before/after sampling
  - 6 sampling dates: March, June, July, August, September, November
- Sampled N, P, TSS for 6 sites on all dates
  - Nashoba (2), Vine, Stony (2), Keyes
  - Bottle samples analyzed by Nashoba Analytical Laboratory
- Temp, pH, dissolved O<sub>2</sub>, conductivity, and river observations for all sites June - November



# Temperature and DO Results




MA warm-water fisheries

MA cold-water fisheries

Reed Brook suitable for cold-water fish


Other streams suitable for warm-water fish



MA cold-water fisheries


MA warm-water fisheries

# Conductivity and pH Results



Conductivity highest at Nashoba / Powers Rd


- 3/27: Also high readings upstream near Rt 110
- Recommend further investigation to ID source (natural or human)



Unknown why pH lowest in Reed Brook

**MA Class B standard lower limit**


# Total & Ortho Phosphorous Results



**Total P high in Butter Brook**

- 5/22: Special study at 4 sites
- Sources appears to be housing, stables

EPA Reference  
Det. Level



**Total P high in Vine Brook**


- Recommend further investigation to ID source

**Source of high total P in Nashoba/TX Rd unknown**


- Vine Brook?
- Beaver activity?
- Other?

Det. Level

# Nitrate and TSS Results



**Nitrate concentrations generally good**  
**High values in Reed and Gilson**  
 – 5/22: special study for Gilson Brook  
 – Recommend further investigation for Reed Brook



**TSS 'excellent' per OARS water quality index**

# Summary and Recommendations

- Westford Stream Team monitored 8 major town streams on 6 dates in 2011
  - Full sampling at 6 sites
  - Meters only at 4 sites
- In general, nutrient levels meet EPA standards
  - High phosphorous in Vine, Butter, and Nashoba Brook off Texas Rd
    - Butter Brook concentrations highest on E side of Rt 225 (stables?)
  - High Nitrates in Reed Brook and Gilson Brook
    - Gilson source is Blue Brook (from Nabnasset Lake)
- Recommendations for 2012 sampling
  - Add more full samples for the 4 sites to confirm trends
  - Add special studies
    - Conductivity in Nashoba Brook upstream from Powers Rd
    - Phosphorous, conductivity in Vine Brook
  - Future studies: Reed (pH, nitrates), Nashoba (P)?, 24-hr DO?